# SF TECH DRYSUIT MEASUREMENT FORM



## INFO **Recommendations for Measurements**:



The measurements must be taken with the soft measuring tape exercising a light pressure in order to be straight and flat but without pushing on the undersuit.



If you have a doubt, ask a professional tailor or an official retailer to take the measurements for you.



Thank you for adding to your file a front and side view full-length body picture of yourself.



The person taking the measurements takes full responsibility for the result. SF Tech Sarl cannot be held responsible for suits made to incorrectly taken measurements.



Measurements with this symbol must be taken with two fingers below the measuring tape. When the measure is determined, move the measuring tape slightly upwards and downwards to check whether the widest point has been measured.




A Size	cm	1 Head	cm
B Weight	kg		Thinks
C Size of shoe	Nr.	<ul> <li>Measured on the forehead</li> </ul>	d, straight on the skin.

#### **Conversion chart**


Inches (")	Centimeters (cm)
1/16 in	0.15875 cm
0.1 in	0.2540 cm
1/8 in	0.3175 cm
1/4 in	0.635 cm
1/2 in	1.27 cm
1 in	2.54 cm
2 in	5.08 cm
3 in	7.62 cm
4 in	10.16 cm
5 in	12.70 cm
6 in	15.24 cm
7 in	17.78 cm
8 in	20.32 cm
9 in	22.86 cm
10 in	25.40 cm
12 in = 1 ft	30.48 cm

Feet (ft)	Centimeters (cm)
0.01 ft	0.3048 cm
0.1 ft	3.048 cm
1 ft	30.48 cm





Measured in the middle of the neck, straight on the skin.



 Circumference of the wrist behind the bone, straight on the skin.



#### 4 Stature






6 cm perpendicular to the top of the armpit.



From the bone of the neck to the bone of the wrist, over the shoulder.




From the bone of the left shoulder to the bone of the right shoulder.



From the bone of the shoulder to the bone of the wrist.



8 Shoulder






From the bones of the shoulder to the beginning of the neck.


9 Forearm height cm

From the bone of the neck to the forearm.

Measure holding two fingers below the measuring tape. When the measure is determined, move the measuring tape slightly upwards and downwards to check whether the widest point has been measured.




At the level of the armpit with the arm slightly bent. Measure at the widest point.




At the level of the forearm at the widest point.






At the widest point of the chest.




At the narrowest point, if the abdomen is flat, otherwise measure it at the widest point on the abdomen.




At the widest point between the hips and the buttocks.






At the crotch height, at the widest point.




At the widest point of the calf.



17 Legs height




With the pants up and properly positioned between the legs, measure from the position of the pants in the crotch (without pushing up), down to the ground.




▲ With the pants up and properly positioned between the legs, measure from the position of the pants in the crotch (without pushing up), down to the calf.



**19 Body height** 



From the beginning of the sternum down to the ground, measuring tape taut.



From the beginning of the sternum down to the crotch, measuring tape taut.



#### PART 2 OPTIONS

Drysuit Model:	Neoprene Classic Kevla Neoprene Kevlar® Pro TNT Classic TNT Pro	nr®	
Hood:	Separated (standard) Attached		
Neck seal:	Latex (standard) Neoprene Silicone (Si Tech Orusk)		
Wrist seal:	Heavy Duty Latex (standard) Neoprene Silicone (Si Tech QCS)		
Boots:	Neoprene Boots (Stand Neoprene socks with R Neoprene socks withou Lightboots	ockboots	
Pee Valve:	None (standard) Left Right		
Pockets:	Left Right		
Drygloves:	None (standard) Rolock Rolock 90 (compatible v	with silicone wrist seals)	
Gloves size:	Μ	L	XL
Gloves type:	Blue with removable inner glove Blue with attached inner glove Black with removable inner glove		
Other options:	Kevlar reinforcement on the buttocks (Standard on Pro and TNT models) Trilaminate protective zipper (Standard on Trilam and TNT models)		



#### PART 3 COLORS

Neoprene Classic Kevlar®



Neoprene Kevlar® Pro









#### PART 3 COLORS

**TNT Classic** 



TNT Pro













#### PART 3 COMMENTS

Please, let us know if you have any special desire regarding the measurements, the options, the colors or the delivery of the drysuit.



### PART 4 CONTACT / ADDRESS

Title	
First name	
Last name	
E-mail	
Phone	
Company	
Street	
Street 2	
City	
ZIP	
State	
Country	

SF Tech SARL Rte du Verney 18 1070 Puidoux Switzerland



www.sftech.ch info@sftech.ch 0041 (0)21 946 29 88